

INLINE FILTERS



Berizzi produces and supplies inline filters for pumps and spraying systems compatible with the products of the main brands available on the market.

Berizzi inline filters are manufactured with special materials, extremely hard and compact, processed with high precision technologies in order to guarantee exceptional quality and maximum durability.

INLINE FILTERS

For quantities it is possible to change on request the fittings sizes of products below

K470



CODE	DESCRIPTION
FM62002	K470 Steel/aluminium inline filter COMPLETE OF FITTINGS, FILTER SUPPORT AND 60 MESH FILTER
300001R	Steel lower base
300002R	Ptfe gasket
300003R	Aluminium support/core for strainer
300004R	Stainless steel spring
300005R	Aluminium upper cylinder
300006R	Nylon support/core for strainer
49505	Plug 1/4"
163838R	Adapter M 3/8"(BSP) reduced x F 3/8"(BSP) swivel nut
151414	Nipple F 1/4" x F 1/4"
FM22XX	Inline filter sieve Ø26,5 H144mm

Filters FM2200 - FM2212 (see page 98)

Pres. max.: 250 Bar (Psi 3625)
Material inlet fitting size: F 3/8"
Material outlet fitting size: M 1/4"

COMPATIBLE with GRACO

K370



CODE	DESCRIPTION
FM62003	K370 Nylon inline filter COMPLETE OF FITTINGS, FILTER SUPPORT AND 60 MESH FILTER
303001R	Nylon lower base
303002R	Ptfe gasket
300006R	Nylon support/core for strainer
300004R	Stainless steel spring
303005R	Nylon upper cylinder
49505	Plug 1/4"
163838R	Adapter M 3/8" (BSP) reduced x F 3/8" (BSP) swivel nut
151414	Nipple F 1/4" x F 1/4"
FM22XX	Inline filter sieve Ø26,5 H144mm

Filters FM2200 - FM2212 (see page 98)

Pres. max.: 60 Bar (Psi 870)
Material inlet fitting size: F 3/8"
Material outlet fitting size: M 1/4"

COMPATIBLE with GRACO

K570



CODE	DESCRIPTION
FM62001	K570 Stainless steel inline filter COMPLETE OF FITTINGS, FILTER SUPPORT AND 60 MESH FILTER
301001R	Stainless steel lower base
300002R	Ptfe gasket
300006R	Nylon support/core for strainer
300004R	Stainless steel spring
301005R	Stainless steel upper cylinder
301006R	Stainless steel plug 1/4"
163838IR	Adapter SS M 3/8"(BSP) Reduced x F 3/8"(BSP) swivel nut
151414I	Nipple in stainless steel 1/4"
FM22XX	Inline filter sieve Ø26,5 H144mm

Filters FM2200 - FM2212 (see page 98)

Pres. max.: 500 Bar (Psi 7250)
Material inlet fitting size: F 3/8"
Material outlet fitting size: M 1/4"

COMPATIBLE with GRACO

K75I - K75A



CODE	DESCRIPTION
FM62009	K75I Stainless steel inline filter COMPLETE OF FITTINGS, FILTER SUPPORT AND 60 MESH FILTER
300005I	Stainless steel upper cylinder
300004R	Stainless steel spring
FM620020	Aluminium support/core for strainer
300002R	Ptfe gasket
301001R	Stainless steel lower base
301006R	Plug 1/4" in stainless steel
163838IR	Adapter SS M 3/8"(BSP) Reduced x F 3/8" (BSP) swivel nut
151414I	Nipple stainless steel 1/4"
FM23XX	Inline filter sieve Ø26,5 H75mm
FM62010	K75A Aluminium inline filter COMPLETE OF FITTINGS, FILTER SUPPORT AND 60 MESH FILTER
300005P	Aluminium upper cylinder
300001R	Steel lower base
300004R	Stainless steel spring
FM620020	Aluminium support/core for strainer
303002R	Ptfe gasket
49505	Plug 1/4"
163838R	Adapter M 3/8"(BSP) reduced x F 3/8" (BSP) swivel nut
151414	Nipple F 1/4" x F 1/4"
FM23XX	Inline filter sieve Ø26,5 H75mm

Filters FM2301 - FM2305 (see page 99)

COMPATIBLE with GRACO

Pres. max.: 500 Bar (Psi 7250)
Material inlet fitting size: F 3/8"
Material outlet fitting size: M 1/4"

INLINE FILTERS

For quantities it is possible to change on request the fittings sizes of products below



K970

CODE	DESCRIPTION
FM62011	K970 stainless steel inline filter COMPLETE OF FITTINGS, FILTER SUPPORT AND 60 MESH FILTER
BBS1066	Stainless steel upper cylinder
BBS1063	Stainless steel lower base
FM3400	S.steel spring Ø 21H122mm type Böllhoff
301006R	Plug 1/4" in stainless steel
163838IR	Adapter SS M 3/8"(BSP) Reduced x F 3/8"(BSP) swivel nut
151414I	Nipple in stainless steel 1/4"
FM24XX	Inline filter sieve Ø27 H115mm

Filters FM2401 - FM2412 (see page 100)

Pres. max.: 500 Bar (Psi 7250)
Material inlet fitting size: F 3/8"
Material outlet fitting size: M 1/4"



K670

CODE	DESCRIPTION
FM62004	K670 Stainless steel inline filter COMPLETE OF FITTINGS, FILTER SUPPORT AND 60 MESH FILTER
670001	Nipple for hose 6x8
023050	HP Valve in stainless steel 1/4" FF
151414I	Nipple in stainless steel 1/4"
301006R	Plug 1/4"
163814I	Adaptor 3/8" x 1/4" in stainless steel
670002	Stainless steel lower base
FM31XX	Filter type III
670003	Ptfe gasket
670004	Stainless steel upper cylinder

Filters FM3101 - FM3104 (see page 101)

Pres. max.: 280 Bar (Psi 4060)
Material inlet fitting size: F 3/8"
Material outlet fitting size: M 1/4"

COMPATIBLE with BINKS - WIWA



K870

CODE	DESCRIPTION
FM62007	K870 Stainless steel inline filter COMPLETE OF FITTINGS, FILTER SUPPORT AND 60 MESH FILTER
870001	Alluminium gasket
870002	Stainless steel lower base
870003	Ptfe gasket
870004	Threaded rod
870006	Stainless steel upper cylinder
FM26XX	Filter type Wiwa

Filters FM2600 - FM2606 (see page 101)

Pres. max.: 500 Bar (Psi 7250)
Material inlet fitting size: F 22x1,5mm
Material outlet fitting size: M 3/8"

COMPATIBLE with BINKS - WIWA



K770

CODE	DESCRIPTION
FM62006	K770 anodized aluminium inline fluid filter COMPLETE OF FITTINGS, FILTER SUPPORT AND 60 MESH FILTER
300001T	Aluminium lower base
300002T	Ptfe gasket
300006T	Stainless steel screw 6mm for seatl
300004T	Nut in stainless steel for strainer
300003T	Aluminium support/core for strainer
300007T	Stainless steel screw 5mm for top strainer
300005T	Aluminium upper cylinder
49505	Plug 1/4"
163838R	Adapter M 3/8"(BSP) reduced x F 3/8"(BSP) swivel nut
151414	Nipple F 1/4" x F 1/4"
FM22XX	Inline strainer (FM2201B-FM2205B)

Filters FM2201B - FM2205B (see page 98)

Pres. max.: 280 Bar (Psi 4060)
Material inlet fitting size: F 1/4"
Material outlet fitting size: M 1/4"

COMPATIBLE with BINKS